



SHERWOOD CORPORATION  
**SHERWOOD CORPORATION (THAILAND)**  
**PUBLIC COMPANY LIMITED**

**SAFETY DATA SHEET**  
**IMIFORCE 200 SC TERMITICIDE**

Page 1 of 7

Version 1.2 Effective Date: July 25, 2024  
 Printed Date: September 30, 2024

**SECTION 1: IDENTIFICATION**

1.1 Product Description

Product Name	<b>IMIFORCE 200 SC TERMITICIDE</b>	
Active Ingredient	Imidacloprid	20% w/v
Benefit	For the use in the management of subterranean termites.	

1.2 Manufacturer and Distributors

	<b>Sherwood Corporation (Thailand) Public Company Limited</b>
Address	90/1 Moo 9, Wellgrow Industrial Estate, Km.36 Bangna-Trad Rd., Bang Wua, Bang Pakong, Chachoengsao 24180 Thailand
Contact	<b>Tel.</b> (+66)38-522-302 <b>Fax.</b> (+66)38-522-311
Website	<a href="http://www.sherwood.co.th">http://www.sherwood.co.th</a>


1.3 Emergency Contact Tel. (+66)95-957-4010

**SECTION 2: HAZARDS IDENTIFICATION**

Classification according to GHS

: Acute toxicity, oral	Category 4
: Serious eye damage / eye irritation	Category 2B
: Hazardous to the aquatic environment, acute hazard	Category 1
: Hazardous to the aquatic environment, long-term hazard	Category 1

**Pictograms of GHS:**



**Signal Word:** **Warning**

Hazard Statement

Physical	: -
Health	
H302	: Harmful if swallowed.
H320	: Causes eye irritation.
Environment	
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.



Precautionary Statement

General

- P101 : If medical advice is needed, have product container or label at hand.  
P102 : Keep out of reach of children.  
P103 : Read label before use.

Prevention

- P264 : Wash hands thoroughly after handling.  
P270 : **DO NOT** eat, drink or smoke when using this product.  
P273 : Avoid release to the environment.

Response

- P301+P312 : IF SWALLOWED : Call a POISON CENTER or doctor / physician if you feel unwell.  
P305+P351+P338 : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P330 : Rinse mouth.  
P337+P313 : If eye irritation persists : Get medical advice / attention.  
P391 : Collect spillage.

Storage : -

Disposal

- P501 : Dispose of contents / container to approved method in accordance with local / regional / national / international regulations.

**SECTION 3: INFORMATION ON INGREDIENTS**

Component (s)	CAS Number	Concentration (% w/v)
Imidacloprid	138261-41-3	20.00
Other Ingredients	-	Balance to 100.00

**SECTION 4: FIRST AID MEASURES**

- Inhalation : Move patient to fresh air. If breathing is difficult, give artificial respiration and get medical attention immediately.
- Skin contact : Remove contaminated clothing immediately. Rinse with plenty of water. Get medical attention immediately if irritation persist.
- Eye contact : Wash with plenty of water. Remove contact lenses, remove it if it is not difficult. Open your eyes wide. So that the water flows for at least 15 minutes, get medical attention immediately.
- Ingestion : **DO NOT** induce vomiting. Unless supervised by medical personnel. Should not be given anything by mouth to an unconscious patient. Get medical attention immediately and bring along the container, label or leaflet of product.
- Advice to Doctor : Symptomatic treatment.



### SECTION 5: FIRE FIGHTING MEASURES

- Extinguishing Media Suitable : Water, Alcohol-resistant foam, Dry chemical, Carbon dioxide (CO<sub>2</sub>).
- Extinguishing Media Unsuitable : No data available.
- Specific Hazards Rising from the Chemical : Decomposition products may produce carbon monoxide (CO) carbon dioxide (CO<sub>2</sub>), toxic gases that are irritating and have a pungent odor. Gases produced by burning at high concentrations may cause fainting or unconscious.
- Special Protective Action for Fire-Fighters : Wear self - contained breathing apparatus (Self - Contained Breathing Apparatus, SCBA) and chemical-protective clothing.  
: Cool closed containers exposed to fire with water spray.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

- Personal Precautions : Remove people from the spill area.  
: Remove sources of fuel.  
: Avoid direct contact with skin and eyes.  
: **DO NOT** breathe vapour.  
: Remove contaminated clothes immediately.
- Personal Protection : Wear respiratory protective with organic vapour absorber, boots and rubber gloves.
- Environmental Precautions : Prevent material from flowing into soil, waterways, gutters and sewers.  
: Avoid releasing the product into the soil, waterways and environment.
- Methods and Material for Containment and Cleaning Up : Before storage ventilate the area of the leak.  
: After storage ventilate the area of the leak.  
: Absorb substance with sand, soil or inert substances. Store the absorbent in a tightly closed container. Show signs for disposal.  
: For smaller amounts: Pick up with suitable absorbent (e.g. sand, sawdust).  
: For large amounts: Dike spillage. Pump off product. Cleaning operations should be carried out only while wearing breathing apparatus.  
: Wash and clean up affected area after leak and store in a suitable container for waste disposal.  
: Do not allow water to enter the container. Spray water to reduce the vapors of the substance.  
: Dispose of contents / containers in accordance with local / regional / national / international regulations. Dispose of contents inside containers with approved methods and / or local regulations.

### SECTION 7: HANDLING AND STORAGE

- Precautions for Safe Handling : Avoid contact with skin, eyes and clothing.  
: Wash your hands thoroughly with soap and water after handling and before eating, drinking or smoking.  
: Remove contaminated clothing and equipment before entering the dining area.  
: Avoid prolonged contact with the substance.  
: Use the product in a well-ventilated area.



- Precautions for Safe Storage
- : Clean hands and body after use.
  - : Keep container tightly closed.
  - : Keep in a well-ventilated place, dry and cool.
  - : Keep away from children, food, pets, flame and heat.
  - : Keep it in an upright position and protect the container against physical damage.
  - : Keep away from corrosive products and incompatible materials (strong oxidizing agents, strong bases, strong acids).

### SECTION 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

- National Exposure Standard : No data available.
- Engineering Controls : Local exhaust ventilation may be necessary to reduce the concentration of chemical vapors.
- Personal Protective Equipment : Wear appropriate specific chemical protective gloves such as nitrile rubber gloves, safety glass and organic vapour respirator. Clean tools after use.

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : White - Gray liquid.
- Odor : Characteristic odor.
- Odor Exposure Limits : No data available.
- pH value : 5.00 - 7.00 at 25°C.
- Melting / Freezing point : No data available.
- Boiling point / Range : No data available.
- Flash point : No data available.
- Evaporation Rate : No data available.
- Flammability of Solid and Gas : No data available.
- Flammable Limits (LFL) % : No data available.
- (UFL) % : No data available.
- Explosion Limits (LFL) % : No data available.
- (UFL) % : No data available.
- Vapour Pressure : No data available.
- Vapour Density (air = 1) : No data available.
- Relative Density (water = 1) : No data available.
- Partition Coefficient n-Octanol / water : No data available.
- Auto - Ignition Temperature : No data available.
- Decomposition Temperature : No data available.
- Solubility in water : Dispersible.
- Specific Gravity / Density : 1.070 – 1.090 Kg/L at 30°C.
- Viscosity : 250 - 450 cPs at 25°C.

### SECTION 10: STABILITY AND REACTIVITY

- Reactivity : No hazardous reactions if stored and handled as indicated.



SHERWOOD CORPORATION

SHERWOOD CORPORATION (THAILAND)  
PUBLIC COMPANY LIMITED

## SAFETY DATA SHEET IMIFORCE 200 SC TERMITICIDE

Page 5 of 7

Version 1.2 Effective Date: July 25, 2024

Printed Date: September 30, 2024

Chemical Stability	: Stable under normal conditions of storage and use.
Possibility of Hazardous Reactions	: No hazardous reactions if stored and handled as indicated.
Conditions to Avoid	: Keep away from flame and heat.
Incompatible Materials	: Strong oxidizing agents, strong acids and strong bases.
Hazardous Decomposition Product	: Combustion or thermal decomposition will turn into toxic gases (hydrocarbon compounds and carbon dioxides).

### SECTION 11: TOXICOLOGICAL INFORMATION

#### Acute Toxicity

Oral	: LD <sub>50</sub> > 1,770.76 mg/kg (rat) (Calculated)
Dermal	: LD <sub>50</sub> > 5,000.00 mg/kg (rabbit) (Calculated)
Inhalation	: LC <sub>50</sub> > 5.00 mg/L at 4 hours (rat) (Calculated)

Skin Corrosion / Irritation	: Not classified.
Serious Eye Damage / Eye Irritation	: Causes eye irritation.
Sensitization, Respiratory	: Not classified.
Sensitization, Skin	: Not classified.
Germ Cell Mutagenicity	: Not classified.
Carcinogenicity	: Not classified.
Reproductive Toxicity	: Not classified.
Specific Target Organ Toxicity	
- Single Exposure	: Not classified.
- Repeat Exposure	: Not classified.
Aspiration Hazard	: Not classified.

### SECTION 12: ECOLOGICAL INFORMATION

Acute hazards to the aquatic environment	: Very toxic to aquatic life.
Long-term hazards to the aquatic environment	: Very toxic to aquatic life with long lasting effects.
Persistence and Degradability	: No data available.
Bio-Accumulative Potential	: No data available.
Mobility in Soil	: No data available.
Other Adverse Effects	: No data available.

### SECTION 13: DISPOSAL CONSIDERATIONS

Waste Treatment Method	: Waste must be disposed of in accordance with federal, state and local environmental control regulations. : <b>DO NOT</b> dispose into the environment, public waterways, drains and sewers. : Should not produce waste contaminated soil or bodies of water.
Container Treatment Method	: Should be disposed of in accordance with local regulations and laws in force in the country or region. : <b>DO NOT</b> pierce or burn, even when empty. : <b>DO NOT</b> dispose of empty containers into public waterways.



SHERWOOD CORPORATION  
 SHERWOOD CORPORATION (THAILAND)  
 PUBLIC COMPANY LIMITED

**SAFETY DATA SHEET**  
**IMIFORCE 200 SC TERMITICIDE**

Page 6 of 7  
 Version 1.2 Effective Date: July 25, 2024  
 Printed Date: September 30, 2024

**SECTION 14: TRANSPORT INFORMATION**

14.1 European Transport Information

Regulation	UN Number	Correct Shipping Name	Classes	PG*	Symbols	Remark
ADR	UN 3082	<b>ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.</b> (Contains Imidacloprid)	9	III		<b>Hazchem code</b> 3Z
IMDG	UN 3082	<b>ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.</b> (Contains Imidacloprid)	9	III	 	<b>Emergency schedules (Ems)</b> F-A, S-F
IATA	UN 3082	<b>ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.</b> (Contains Imidacloprid)	9	III		<b>Limited Quantities - Passenger Aircraft</b> Quantity limitation: No Limit Packaging instructions: P001  <b>Cargo Aircraft Only</b> Quantity limitation: No Limit Packaging instructions: P001

Beware ensure transportation of the container tightly closed, no leak and overturned.

**DO NOT** delivery with food, fiber, oxidizing agent, strong acid, strong bases, etc.

**SECTION 15: REGULATORY INFORMATION**

Law Enforcement in Thailand : Hazardous substance act BE 2535.  
 : List of Hazardous Substances BE 2556, Announce from Ministry of Industry.  
 Types of Hazardous Material : Type 3 (Food and Drug Administration, Ministry of Public Health, Thailand)  
 FDA Registration No. : Thai FDA รพส. 951/2554

**SECTION 16: OTHER INFORMATION**

Reference : Globally Harmonized System of Classification and Labelling of Chemicals (GHS), third revised edition, UNITED NATIONS, New York and Geneva, 2009



SHERWOOD CORPORATION  
SHERWOOD CORPORATION (THAILAND)  
PUBLIC COMPANY LIMITED

**SAFETY DATA SHEET**  
**IMIFORCE 200 SC TERMITICIDE**

Page 7 of 7

Version 1.2 Effective Date: July 25, 2024  
Printed Date: September 30, 2024

- : European Chemicals Agency;  
<https://echa.europa.eu/>
- : Toxicology Data Network, U.S. National Library of Medicine;  
<https://toxnet.nlm.nih.gov/>
- : National Institute of Technology and Evaluation;  
[http://www.safe.nite.go.jp/english/ghs/ghs\\_index.html](http://www.safe.nite.go.jp/english/ghs/ghs_index.html)
- : บัญชีรายชื่อวัตถุอันตราย กระทรวงอุตสาหกรรม;  
[https://www.jetro.go.jp/ext\\_images/thailand/thai/pdf/hazardlist13\\_tha.pdf](https://www.jetro.go.jp/ext_images/thailand/thai/pdf/hazardlist13_tha.pdf)
- : Dangerous Goods Regulation (IATA-Resolution 618 Attachment "A") 54<sup>th</sup> Edition  
<https://agashirinov.files.wordpress.com/2015/10/ekp000017565.pdf>
- : TRANSPORT OF DANGEROUS GOODS
- : IATA Dangerous Goods Regulations, Training & Reference Manual

***Disclaimer***

*This article is as accurately as possible complied with the best of our company's knowledge at the time documentation. Each user should read this SDS and consider the information in the context of how the material will be handle and used in the workplace including in conjunction with other products. If classification or further information is needed to ensure an appropriate risk assessment, the user should contact our technical team.*

*The above information is believed to be correct but does not purpose to be all inclusive and shall be used only as a guide. No warranty is expressed or implied regarding the accuracy and completeness of the data. As such, we cannot be held liable for any injury or economic loss. Users are further reminded of the possible risks of using this material for any other purpose than those for which it was intended. The above information can be utilized only for meeting regulatory norms in regard to handling and labeling advice.*

- END -