



GENERAL INSTRUCTIONS

PermFORCE DUST INSECTICIDE is ready to use, no further diluent should be added. Leave powder undisturbed for as long as possible.

INSECTICIDE RESISTANCE WARNING

GROUP 3A INSECTICIDE

For insecticide resistance management PermFORCE DUST INSECTICIDE is a Group 3A insecticide. Some naturally occurring insect biotypes resistant to PermFORCE DUST INSECTICIDE and other group 3A insecticide may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if PermFORCE DUST INSECTICIDE or other group 3A insecticides are used repeatedly. The effectiveness of PermFORCE DUST INSECTICIDE on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, Sherwood Chemicals accepts no liability for any losses that may result from the failure of PermFORCE DUST INSECTICIDE to control resistant insects. PermFORCE DUST INSECTICIDE may be subject to specific resistance management strategies. For further information, contact your local supplier, Sherwood representatives or local agricultural department agronomist.

PRECAUTIONS

AVOID CONTACT WITH FOOD.

Cover all foodstuffs before application.

DO NOT allow dusting powder to contact food, food preparation surfaces or food preparation utensils.

DO NOT apply dust directly on humans, exposed food or food utensils.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND THE ENVIRONMENT

Toxic to bees and reptiles.

Harmful to fish.

DO NOT contaminate dams, rivers, streams, waterways or drains with the product or the used container.

Remove or cover fish tanks before use.

STORAGE, SPILLAGE AND DISPOSAL

KEEP OUT OF REACH OF CHILDREN

Store in the closed, original container in a safe well-ventilated area, as cool as possible.

DO NOT store for prolonged periods in direct sunlight.

Triple rinse containers before disposal. Add rinsings to tank mix or dispose of rinsate in a disposal pit. This pit must be away from aquatic areas and in a suitable area specifically marked and set up for the purpose. **DO NOT** dispose of undiluted chemicals on site.

Destroy empty containers by breaking, crushing or puncturing them. Dispose of the containers at a local authority landfill that does not burn its refuse. If there is no local authority landfill readily available in your area, bury the containers at a depth of 500mm or more at an approved disposal site. **DO NOT** burn empty containers or product.

SAFETY DIRECTIONS

Avoid contact with eyes and skin and avoid inhaling dust. When using the product wear rubber gloves. Wash hands after use.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 13 11 26). (New Zealand 03 4747000).

MATERIAL SAFETY DATA SHEET

Additional information is listed in the Material Safety Data Sheet (MSDS). A Material Safety Data Sheet for PermFORCE DUST INSECTICIDE is available from Sherwood Chemicals on request. Call Customer Service on 0421 667 972

EXCLUSION OF LIABILITY

This product as supplied is of a high grade and suitable for the purpose for which it is expressly intended and must be used in accordance with the directions. The user must monitor the performance of any product as climatic, geographical or biological variables and/or developed resistance may affect the results obtained. The use of PermFORCE DUST INSECTICIDE being beyond the control of the manufacturer, no warranty expressed or implied is given by Sherwood Chemicals regarding its suitability, fitness or efficiency for any purpose for which it is used by the buyer, whether in accordance with the directions or not. Sherwood Chemicals accept no responsibility for any consequence whatsoever resulting from the use of this product.

In a Transport Emergency
Dial 000
Police or Fire Brigade

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

PermFORCE DUST INSECTICIDE

ACTIVE CONSTITUENT:
10 g/kg PERMETHRIN 25:75

GROUP 3A INSECTICIDE



For the control of various
insect pests in accordance with the
DIRECTIONS FOR USE Table

Net: 10 kg



Sherwood Chemicals Australasia Pty Ltd

Level 3, 1060 Hay Street, WEST PERTH 6005

AUSTRALIA

Tel: 0421 667 972

www.sherwoodchemicals.com.au

Batch No:

Date of Manufacture:

DIRECTIONS FOR USE

Situation	Target Pests	State	Rate	Critical Comments
Domestic, Institutional & Industrial Premises	Food preparation & Storage areas	All States & NT	10 g/m ² applied with a powder blower	Blow powder into all cracks and crevices. Pay particular attention to warm, dark corners around cookers, fireplaces, radiators, stores, pipes, rubbish chutes and places where liquid sprays may not be used.
	Living & Sleeping areas			Sprinkle the powder along runs, on and around nests. If ants are invading domestic premises apply powder to the routes by which they enter. Repeat as necessary.
				Dust powder over floor, brushing into carpet pile and blowing into areas where flea larvae develop.
	Bedbugs			Apply powder to bedsteads, bedsprings, mattresses, floor coverings, upholstered furniture, cracks in walls, behind torn wallpaper, joints in woodwork and other harbourages.
Skin and Hide Preparation	Hide beetles (<i>Dermestes</i> spp.)			a) Place skins on drying racks and apply dust using a manual or motorised duster. b) Dust exposed edges of dried, baled skins.
Mushroom Beds	Mushroom sciarid flies			Dust mushroom beds no more frequently than twice a week to control adult and larval flies. Discontinue dusting when mushrooms reach the size of a 10 cent piece.
Seed Potatoes	Potato Moth (<i>Phthorimaea operculella</i>)		600g/tonne or 30g/50kg bag of seed potatoes	Dust thoroughly immediately after harvest while filling storage containers. Treated seed potatoes are to be used only for sowing; do not use for food or feed purposes. Treated seed potatoes are to be stored apart from other potatoes and bags or containers should be clearly marked to identify that the contents have been treated.
Large Wasp Nests	European Wasps	NSW, VIC, WA, Tas & NT	125 - 250g per nest	Use hand duster and apply powder through entrance holes (125 - 250g/nest dependent on size of nest and number of entrance holes). Treat at night wherever possible. Operators should wear clothing protective against the wasp including long - sleeved overalls buttoned at wrist and throat, gloves, hat and bee - veil.
Roof voids of houses that have harboured nesting birds	Bird Mites (<i>Ornithonyssus</i> spp.)	All States & NT	10 g/m ²	Cover roof void areas using powder blower. Pay particular attention to areas where there is evidence of bird nest. Remove nests and bird proof roof voids to prevent recurrence.
Tree stumps in urban areas	Subterranean Termites (<i>Coptotermes</i> spp.)		250 g per tree	Upon locating nest in tree stump, drill 3 holes with a maximum diameter of 12mm. Apply dust directly to the nest using a carbon dioxide gas cylinder and a trigger gun. After treatment holes should be coated carefully with a fungicide, e.g. copper naphthenate, and sealed with an appropriate chalking compound.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.
WITHHOLDING PERIOD - Mushrooms
DO NOT APPLY LATER THAN 3 DAYS BEFORE HARVEST.

APVMA APPROVAL NO: 62664/10kg/0309